

Non-prescription drug list 2017

	Drug name	Dosage form	comment
1	Aceclofenac	Topical only	
2	Alcohol	Topical only	
3	All registered food supplement		
4	All vitamins and minerals		
5	Aluminium Hydroxide	Anti-acid dosage forms	Adequately labeling mentioning chronic renal failure precautions
6	Ambroxol		
7	Antazoline	Topical only	
8	Aspartame & other sweeteners		Take care in pregnancy, nursing mothers, children less than 3 years, phenylketonuria
9	Aspirin		
10	Avobenzone	Topical only	
12	Benproperine		
13	Bentoquatam	Topical only	
14	Benzocaine	Topical only	
15	Benzonatate		
16	Bisacodyl		
17	Bromhexine		
18	Brompheniramine		Sedation side effects should be clearly labeled
19	Butenafine	Topical only	
20	Caffeine		
21	Calamine	Topical only	
22	Calcium carbonate ,Magnesium carbonate		
23	Camphor	Topical only	
24	Carbinoxamine		Sedation side effects should be clearly labeled
25	Carboxymethylcellulose	Eye drops	
26	Cetirizine		
27	Chloramphenicol	Ophthalmic only	
28	Chlorohexidine Gluconate	Topical only	
29	Chlorphendianol		Sedation side effects should be clearly labeled
30	Chlorpheniramine Maleate		Sedation side effects should be clearly labeled
31	Cinchocaine	Topical only	
32	Citric Acid		
33	Clemastine		Sedation side effects should be clearly labeled
34	Clotrimazole	Topical only	

35	Cromoglicic acid	Nasal	
36	Cromolyn sodium	Nasal	Take care of age limit
37	Crotamiton		
38	Cyproheptadine		-Sedation side effects should be clearly labeled -Take care in geriatric because of atropine like effects
39	Desloratadine		
40	Dexbrompheniramine		Sedation side effects should be clearly labeled
41	Dexchlorpheniramine		Sedation side effects should be clearly labeled
42	Dexpanthenol	Topical only	
43	Diclofenac Sodium	Topical only	
44	Dicyclomine		
45	Dihydroxy Aluminum	Anti-acid dosage forms	Adequately labeling mentioning chronic renal failure precautions
46	Dimethicon		
47	Dimetindene maleate		Sedation side effects should be clearly labeled
48	Diphenhydramine		Sedation side effects should be clearly labeled
49	Docosanol	Topical only	
50	Domiphen bromide		
51	Doxylamine succinate		
52	Doxylamine succinate, Caffiene		
53	Ecamsule	Topical only	
54	Esomeprazole	10&20mg	Adequately labeling mentioning treatment period not more than 2 weeks after which referral to a specialized physician is necessary
55	Etofenamate	Topical only	
56	Fexofenadine		
57	Folic acid		
58	Glucosamine		
59	Guaifenesin		
60	Hextidine		
61	Hydrocortisone	Topical only	
62	Hyoscine		
63	Ibuprofen	Topical only	
64	Indomet(h)acin	Topical only	
65	Iodine Povacrylex		
66	Iron		In combinations only
67	Isopropyl alcohol	Topical only	
68	Lactulose		

69	lidocaine	Topical only	
70	Loratadine		
71	lysosyme HCl , Dequalinium Chloride		
72	Magaldrate		
73	Magnesium Hydroxide		
74	Magnesium Trisilicate		
75	Mebendazole		
76	Mebevirin		
77	Meclozine		
78	Menthol	Topical only	
79	Mepyramine maleate		-Sedation side effects should be clearly labeled -Take care in geriatric because of atropine like effects
80	Methyl salicylate	Topical only	Adequately labeled
81	Miconazole	Topical only	Adequately labeled
82	Minoxidil sulphate	Topical only	Adequately labeled
83	Naphazoline	Nasal	
84	Naproxen	Topical only	Adequately labeled
85	Nicotine		
86	Nifuroxazide		
87	Nonoxynol-9	Topical only	Take care of risk of infection
88	Noscapine		
89	Omperazole		
90	Omeprazole, Sodium bicarbonate		
91	Oral rehydration salts	powder for oral solution	
92	Oxetacaine		
93	Oxybuprocaine	Topical only	
94	Oxymetazoline	Nasal	
95	Pantoprazole	10&20mg	Adequately labeling mentioning treatment period not more than 2 weeks after which referral to a specialized physician is necessary
96	Paracetamol		Adequately labeling mentioning hepatitis warning
97	Permethrin	Topical only	
98	phenylephrine		
99	Phenylephrine HCl	Eye drops	
100	Pheniramine maleate,Ammonium chloride		
101	Picosalphate (Na)		Short term use only

102	Piperonyl butoxide	Topical only	
103	Piroxicam	Topical only	
104	Polyethylene glycol 3350	Oral	-Short term use only -Administration precautions should be adequately labeled
105	Polyethylene glycol 3351	Oral	-Short term use only -Administration precautions should be adequately labeled
106	Polymyxin B	Topical and ophthalmic	
107	Potassium Iodide	Cough preparations	
108	Povidone-Iodine	Topical only	
109	Pramocaine		
110	Promethazine		
111	Propanthelin		
112	Pseudoephedrine		
113	Pseudoephedrine + ibuprofen		
114	Psyllium Muciloid (Ispaghula)		Administration precautions should be adequately labeled
115	pyrethrins	Topical	
116	Racecadotril	Capsules only	
117	Rabeprazole	10mg	Adequately labeling mentioning treatment period not more than 2 weeks after which referral to a specialized physician is necessary
118	Rutosides(beta-hydroxyethyl rutosides)		
119	Selenium		
120	Simethicon		
121	Sodium Bicarbonate		
122	Sodium Carbonate		
123	Sodium Chloride		
124	Sodium Chromoglicate	Eye drops	
125	Sodium Citrate		
126	Terbinafine	Topical only	
127	Titanium Dioxide	Topical only	
128	Tolmetin	Topical only	
129	Triamcinolne oral base	Muco-adhesive only	Only for painful ulcer
130	tribneoside	Topical only	
131	Tripolidine		-Sedation side effects should be clearly labeled -Take care in geriatric because of atropine like effects
132	Vitamin C	Oral preparations	
133	Xylometazoline	Nasal	
134	Zinc Sulphate		